

Nfina Hyper-Edge™ 4208T-i20



FEATURES:

- Twin Tower Enclosures
- Intel® Xeon® Scalable Processors (2 per tower)
- 2.7GHz to 4.0GHz processor speed
- Up to 1TB memory (per tower)
- 16 x 3.5" or 2.5" hot-swap drive bays standard (8 per tower)
- 32 x 2.5" hot-swap drive bays optional (16 per tower)
- 4-way mirror storage
- 1 x Dedicated IPMI 2.0 LAN port (per tower)
- Choose OS; Microsoft® Windows Server® or VMware ESXi®
- Up to 104 VMs
- Open-E® JovianDSS, storage pool mgmt. software w/ no single point of failure
- Nfina EdgeStore™ 4TB or 8TB License
- Offsite data backup and cloud restoration available
- 5-year warranty with 24x7 Tech Support (other options avail.)

Nfina's Hyper-Edge™ products deliver better security, redundancy, and faster data response times.



Nfina's Hyper-Edge™ 4208T-i20 reduces network strain by making it possible to send only the most valuable and relevant data to the edge servers thus making data processing timelier. Nfina's Hyper-Edge products put information processing (Data Entry, Storage, Compute, Point of Sale, or SMB's) closer to your edge applications. With Nfina powering your edge, you can improve security and compliance, achieve faster response times, create redundancy, reduce latency, lower cost, and complement your existing cloud computing infrastructure.

To ensure data security and retention, four software, backup and disaster recovery options are offered with our Hyper-Edge products: **Nfina EdgeStore**, software included with smaller capacity storage, provides integration for local and offsite data backup and disaster recovery. Unlike many of our competitors, you can choose to store your offsite storage where you like; the cloud, colo, or with Nfina Cloud. **Open-E JovianDSS**, software included with larger capacity storage, helps create and manage HA clusters on your Hyper-Edge device and provides no single point of failure. Features include tiered RAM, unlimited snapshots with instant restore, compression and deduplication, and on and offsite data protection. **Nfina Cloud**, a cloud-based subscription service, allows you to safely back up your Edge and Hyperconverged products. Your data is encrypted before it crosses the wire and remains encrypted during transmission and while stored. Only your organization holds the encryption key. **Nfina Restore** allows you to quickly recover data in the event of a Server or Storage system catastrophic failure. Easily restore individual files, folders, VMs, or even an entire SAN from your cloud storage.

SERVERS

DATA STORAGE

PCs & WORKSTATIONS

n-fina
EDGE SOLUTIONS

NFINA Hyper-Edge™ 4208T-i20


SPECIFICATIONS	
Form Factor	Twin mid-towers, 14.25" x 7.25" x 16.75" (per tower)
Operating Temperature	10°C to 35°C (50°F to 95°F)
Processors	2nd Gen. Intel® Xeon® Scalable processors, up to 28 cores, 56 threads (2 per tower)
Processor Speed	Up to 2.7GHz to 4.0GHz
CPU Cache	38.5MB Intel® Smart Cache (per processor)
Socket	Dual socket P
Memory	16 DIMM slots, ECC DDR4 2666/2933 MHz (per tower) 1TB Max memory capacity (per tower)
Drives	Up to 8 x 3.5" hot-swap drives; SSD or HDD (per tower) — or — Up to 16 x 2.5" hot-swap drives; SSD or HDD (per tower) Up to 2 x boot drives: 2 x M.2 NVMe/SSDs (2280), SATA/PCIe (per tower) — or — 2 x 2.5" SSDs (per tower) (cannot mix drive type)
Optical Drive	48x CD-RW / 24 x DVD +/-RW, included
Storage Controller	Choose: Up to 2 x 9300-4i 12Gb/s SAS Host Bus Adapters (per tower) Up to 2 x 9300-4i4e 12Gb/s SAS Host Bus Adapters (per tower) Up to 2 x 9300-8i 12Gb/s SAS Host Bus Adapters (per tower) Up to 2 x 9400-8i8e 12Gb/s SAS Host Bus Adapters (per tower) — or — Up to 2 x 9305-16i 12Gb/s SAS Host Bus Adapters (per tower)
RAID Options	4-way mirroring
Remote Management	IPMI 2.0, KVM over HTML5
TPM	Version 2.0, optional
OS/Virtual Platform	Microsoft® Windows Server®, Up to 104 VMs VMware ESXi®, Up to 104 VMs
Software Options	Microsoft® Windows Server® 2019, Microsoft® Windows 10 Pro Microsoft® SQL Server, Microsoft® Exchange Server VMware vSphere®, VMware vCenter® Nfina EdgeStore™ 4TB, Nfina EdgeStore™ 8TB Open-E® JovianDSS (depending on desired usable capacity)
Backup and Disaster Recovery	Nfina Cloud - Secure cloud based data backup (monthly subscription required) Nfina Restore - Data recovery from cloud storage (monthly subscription required)
Input Voltage	100-127V @ 8.8A, 50/60 Hz 200-240V @ 4.4A, 50/60 Hz
Power Supplies	Dual redundant hot-swap 750W AC (2 per tower)
Regulatory Certifications	NRTL Nemko (US, Canada), CE (Europe), RCM (Australia/NZ), GS (Germany), FCC (US), ICES-3(A) (Canada), KC (Korea), Ukraine Certification, BSMI (Taiwan), EAC (Russia), VCCI-A (Japan)
Warranty	5 years (other options available)

NFINA Hyper-Edge™ 4208T-i20

SPECIFICATIONS

I/O	4 x USB 3.0 ports (2 front, 2 rear) (per tower) 2 x USB 2.0 ports (rear) (per tower)
Display	1 x VGA port (rear) (per tower)
Ethernet	2 x 10GbE LAN ports native (per tower) 4 x Additional LAN ports required (per tower) - Choose: Single, Dual, or Quad, 1GbE to 10GbE, or FC LAN ports (per tower) 1 x 1GbE (Dedicated management port) (per tower)
PCIe®	3 x PCIe Gen3.0 x16 slots (per tower) 3 x PCIe Gen3.0 x8 slots (per tower)

Port and slot counts displayed below are for one chassis only



© 2021 Nfina Technologies, Inc. All rights reserved. Intel® and XEON® are registered trademarks of Intel Corporation. Other trademarks and trade names that may be used in this document are owned by their respective companies.

Nfina believes the information in this document is accurate as of its publication date. The information is subject to change without notice. The contents of this document are provided as-is, without any express or implied warranties of any kind.

Rev. 031821

Address: 820 S. University Blvd. Suite 4E, Mobile, AL 36609

Telephone: 251.243.0043

Email: nfina_sales@n-fina.com

Website: www.n-fina.com